




















TEKNİK VERİLER / TECHNICAL DATA / TECHNISCHE DATEN / DATI TECNICI / DONNÉES TECHNIQUES / DATOS TÉCNICAS







	i_{ges}	M_{2max} (n1: 1400rpm) (Nm)				
2501	3.78 ... 7.25	1470	 Ø65	 58X53 DIN 5482	 Ø28 - Ø42 Ø65 - Ø1"3/8 Hydraulic Motor	 Hydraulic Motor
2502	13.4 ... 62.8	1920	 Ø75	 58X53 DIN 5482	 Electric Motor	 Worm gearboxes
2503	52.1 ... 424.1	2580				
2504	352.0 ... 2369.2	3660			 Brake	


PL



	i_{ges}	M_{2max} (n1: 1400rpm) (Nm)				
2502	12.1 ... 21.3	1640	 Ø65	 58X53 DIN 5482	 Ø28 - Ø42 Ø65 - Ø1"3/8 Hydraulic Motor	 Hydraulic Motor
2503	39.4 ... 143.5	2320	 Ø75	 58X53 DIN 5482	 Electric Motor	
2504	140.1 ... 1244.1	3160			 Brake	

PLB

	Pt [kW]	n _{1max} [min ⁻¹]	i _{ges}	Mc [kNm]				Giriş- Input - Antrieb - Entrata - Entrée - Entrada			
				n ₂ x h	n ₂ x h	n ₂ x h	n ₂ x h				
				10.000	20.000	50.000	100.000	IEC (B5)	PMRV / PRV	EL - EML EM - EP - ET	
PL 2501	20	2800	3.78	4.06	3.59	3.06	2.70	63 112 71 132 80 160 90 180 100	050 063 075 090 110 130	EL C 28 EL C 42 EML 42 EML 1"3/8 Z6 EM 65 EM 1"3/8 Z6 EP 65	
			4.13	3.67	3.25	2.76	2.45				
			5.17	3.07	2.71	2.31	2.04				
			6.00	2.57	2.27	1.94	1.71				
			7.25	1.99	1.76	1.50	1.33				
PL 2502	12	2800	13.4	4.06	3.59	3.06	2.70	63 71 80 90 100 112 132 160	050 063 075 090	EL C 28 EL C 42 EML 42 EML 1"3/8 Z6	
			16.2	4.06	3.59	3.06	2.70				
			18.4	3.07	2.71	2.31	2.04				
			23.1	3.67	3.25	2.76	2.45				
			28.9	3.07	2.71	2.31	2.04				
			34.9	3.07	2.71	2.31	2.04				
			40.5	2.57	2.27	1.94	1.71				
			48.9	1.99	1.76	1.50	1.33				
			62.8	1.99	1.76	1.50	1.33				
PL 2503	8	2800	52.1	3.67	3.25	2.76	2.45	63 71 80 90 100 112 132	050 063 075 090	EL C 28 EL C 42 EML 42 EML 1"3/8 Z6	
			57.6	4.06	3.59	3.06	2.70				
			62.9	3.67	3.25	2.76	2.45				
			75.2	4.06	3.59	3.06	2.70				
			82.1	3.67	3.25	2.76	2.45				
			90.7	4.06	3.59	3.06	2.70				
			99.0	3.67	3.25	2.76	2.45				
			119.3	3.67	3.25	2.76	2.45				
			129.4	3.67	3.25	2.76	2.45				
			149.5	3.07	2.71	2.31	2.04				
			155.9	3.67	3.25	2.76	2.45				
			162.0	3.07	2.71	2.31	2.04				
			173.6	2.57	2.27	1.94	1.71				
			195.3	3.07	2.71	2.31	2.04				
			235.4	3.07	2.71	2.31	2.04				
			273.4	2.57	2.27	1.94	1.71				
			302.2	3.07	2.71	2.31	2.04				
			330.3	1.99	1.76	1.50	1.33				
			424.1	1.99	1.76	1.50	1.33				
PL 2504	4	2800	352.0	3.67	3.25	2.76	2.45	63 71 80 90 100 112	050 063 075 090	EL C 28 EL C 42 EML 42 EML 1"3/8 Z6	
			365.8	3.07	2.71	2.31	2.04				
			388.6	4.06	3.59	3.06	2.70				
			413.9	4.06	3.59	3.06	2.70				
			424.3	3.67	3.25	2.76	2.45				
			468.4	4.06	3.59	3.06	2.70				
			511.4	3.67	3.25	2.76	2.45				
			554.4	3.67	3.25	2.76	2.45				
			612.0	4.06	3.59	3.06	2.70				
			668.2	3.67	3.25	2.76	2.45				
			737.7	4.06	3.59	3.06	2.70				
			805.5	3.67	3.25	2.76	2.45				
			858.0	3.67	3.25	2.76	2.45				
			907.3	3.07	2.71	2.31	2.04				
			1052.5	3.67	3.25	2.76	2.45				
			1121.1	3.67	3.25	2.76	2.45				
			1318.3	3.07	2.71	2.31	2.04				
			1589.0	3.07	2.71	2.31	2.04				
			1845.3	2.57	2.27	1.94	1.71				
2369.2	2.57	2.27	1.94	1.71							




PL 2500 CPC - Elektrik Motor Adaptörleri (IEC) / Electric Motor Couplings (IEC) / Anbauvorrichtung Für Elektromotore (IEC) / Predisposizioni Per Motori Elettrici (IEC) / Adaptations Pour Moteurs Electriques (IEC) / Acoplamientos Para Motores Eléctricos (IEC)

PL	IEC 63			IEC 71			IEC 80			IEC 90			IEC 100		
	L _T	Z	ØD	L _T	Z	ØD	L _T	Z	ØD	L _T	Z	ØD	L _T	Z	ØD
2501	247.5	36	140	247.5	36	160	267.5	56	200	267.5	56	200	277.5	66	250
2502	295.5			315.5			315.5								
2503	343.5			363.5			363.5								
2504	391.5			411.5			411.5								

PL	IEC 112			IEC 132			IEC 160			IEC 180		
	L _T	Z	ØD	L _T	Z	ØD	L _T	Z	ØD	L _T	Z	ØD
2501	277.5	66	250	311.5	100	300	350.5	139	350	350.5	139	350
2502	325.5			359.5			-					
2503	373.5			407.5			-					
2504	421.5			-			-					

PL	IEC ~ Kg								
	63	71	80	90	100	112	132	160	180
2501	48	48	50	50	51	51	55	65	65
2502	54	54	56	56	57	57	61	71	-
2503	60	60	62	62	63	63	67	-	-
2504	66	66	68	68	69	69	-	-	-



PL 2500 CPC - Giriş Milleri / Input Shafts / Antriebswellen / Alberi Entrata / Arbres D'entree / Ejes De Entrada

PL	EL C 28				EL C 42				EML 42				EML 1"3/8 Z6				EM 65				EM 1"3/8 Z6			
	L _T	Z	L	Ød	L _T	Z	L	Ød	L _T	Z	L	Ød	L _T	Z	L	Ød	L _T	Z	L	Ød	L _T	Z	L	Ød
2501	275.5	64	50	28	275.5	64	82	42	305.5	94	82	42	305.5	94	106	1"3/8	346.5	121.5	105	65	346.5	121.5	105	1"3/8
2502	323.5				323.5				353.5				353.5											
2503	371.5				371.5				401.5				401.5											
2504	419.5				419.5				449.5				449.5											

PL	EP 65				PL	~ Kg						
	L _T	Z	L	Ød		EL C 28	EL C 42	EML 42	EML 1"3/8 Z6	EM 65	EM 1"3/8 Z6	EP 65
2501	378	153	105	65	2501	48.5	49.0	52.0	52.0	60.0	60.0	69.0
2502	-	-	-	-	2502	54.5	55.0	58.0	58.0	-	-	-
2503	-	-	-	-	2503	60.5	61.0	64.0	64.0	-	-	-
2504	-	-	-	-	2504	66.5	67.0	71.0	71.0	-	-	-

